



Codelocks International Ltd  
36 Albury Way  
Greenham Business Park  
Newbury  
Berkshire  
CA3 0JU

Tel: 01635 239645

## EC - DECLARATION OF CONFORMITY

Number CLCE01

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9<sup>th</sup> March 2011 (the Construction Products Regulations or CPR), we declare that the construction product

### Codelocks Tubular Latches – see Annex A

Placed on the market

**Codelocks International Ltd**

**36 Albury Way, Greenham Business Park, Newbury, Berks, RG19 6HW**

Complies with all provisions concerning the attestation of conformity  
and the performances described in Annex ZA of the standard

**EN 12209:2003/AC 2005**

with classification

<b>NPD</b>	<b>B</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>C</b>	<b>-</b>	<b>B</b>	<b>0</b>	<b>0</b>	<b>0</b>
------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

on the basis that the approved body

**UL International (Netherlands) B.V. – (EC Notified Body 2821)**

has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control as shown in the Certificate of Conformity Ref. 2821-CPR-0291, dated 30<sup>th</sup> July 2024.

**Intended use: For use on fire / smoke compartmentation doors**

Essential characteristic	Performance	Harmonised technical specification
Self-closing 5.4.2 Closing force  5.1.2 Re-latching force of latch bolt	Grade 7 = 100kg door mass with 15N Maximum closing force  >2.5N	EN 12209:2003/AC2005
Durability of self-closing 5.3.1 Durability of latch action	Grade B = 100,000 cycles with no side load On latch bolt	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1	
Control of Dangerous substances	If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested: Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

Paul Campbell



Technical, Quality, and Sustainability Manager

31<sup>st</sup> July 2024

#### **Annex A**

Latch Reference	Description
PMLB 60/8	Tubular Latch, 60mm Backset, 8mm Square Follower
PMLB 70/8	Tubular Latch, 70mm Backset, 8mm Square Follower
P251 LB60	Tubular Latch, 60mm Backset, 7mm Butterfly Follower
P251 LB70	Tubular Latch, 70mm Backset, 7mm Butterfly Follower